

Multiple Random Walkers and Their Application to Image Cosegmentation

Chulwoo Lee¹, Won-Dong Jang¹, Jae-Young Sim², Chang-Su Kim¹

¹School of Electrical Engineering, Korea University. ²School of Electrical and Computer Engineering, UNIST.




Figure 1: Double random walkers with the repulsive restart rule. Red and blue walkers move interactively to divide a point set into two clusters. The top two rows depict the probability distributions of the red and blue walkers, and the bottom row shows the clustering results. The clustering decides that a point belongs to the red cluster, if the red walker has a higher probability at the point than the blue walker.




Figure 2: A repulsive MRW process of foreground and background walkers in an image. The input image is shown in the lower right corner. At each time instance t , from top to bottom, the probability distributions of the foreground and background walkers, and the segmentation result are shown.

A random walk, a process in which a walker moves randomly from one node to another in a graph, can be used to analyze the underlying data structure of the graph. Whereas the conventional random walk theory describes the movements of a single walker (or agent), we propose a system of multiple random walkers (MRW) to simulate multiple agents on a graph simultaneously. Those agents traverse the graph according to a transition matrix, but they also interact with one another to achieve a desired goal. Our MRW system can support a variety of interactions by employing different restart rules. In particular, we develop the repulsive restart rule for data clustering. With this restart rule, as the random process continues, multiple agents repel one another and form their own dominant regions. Eventually, the power balance among the agents is achieved, and their distributions converge. By comparing the stationary distributions, clustering can be achieved.

Figure 1 illustrates an MRW process of double random walkers with the repulsive restart rule. In Figure 1(a), the top two rows show initial probability distributions of the red and blue walkers, which are randomly generated. The bottom row is the result of the clustering. The clustering result at $t = 0$ is meaningless. However, as the iteration goes on, each walker repels the other walker, while forming a dominant cluster region. Consequently, the probability distributions of the two walkers converge, respectively, and the power balance between the walkers is achieved. By comparing those probabilities at each node, we obtain the clustering result in Figure 1(f), which coincides with the intuitive clustering of the human visual system.

Figure 2 illustrates the repulsive MRW process in an image, which is shown in the lower right corner. In Figure 2(a), the top two rows show the



Figure 3: The evolution of foreground distributions in the multi-pass clustering. As the passes go on, the Taj Mahal is more clearly highlighted.

initial probability distributions of the foreground and background walkers, based on the center prior, respectively. The bottom row is the segmentation result. At early stages, the foreground region is identified around the image center due to the initial distributions. However, as the iteration continues, the foreground walker explores nearby similar nodes, while competing with the background walker. The repulsive restart rule facilitates discriminative clustering. Finally, in Figure 2(e), the probability distributions converge, and we obtain a satisfactory segmentation result that extracts the bear faithfully.

We apply the proposed MRW system to the problem of segmenting similar images jointly. Recently, attempts to extract common foreground objects from a set of similar images have been made. This approach, called *cosegmentation*, was first addressed by Rother *et al.*[3] and has been researched actively. For cosegmentation, we introduce the notion of concurrence distribution, which represents the similarity of each node in an image to foreground objects in the other images. Then, the MRW clustering is performed by incorporating the concurrence distribution into the repulsive restart rule. As exemplified in Figure 3, multiple executions of the inter-image concurrence computation and the intra-image MRW clustering discover foreground objects in images more clearly. Experimental results show that the proposed MRW algorithm improves the segmentation accuracy significantly, as compared with recent state-of-the-art cosegmentation techniques [2, 4, 5, 6], on the iCoseg dataset [1].

- [1] D. Batra, A. Kowdle, D. Parikh, Jiebo Luo, and Tsuhan Chen. iCoseg: Interactive co-segmentation with intelligent scribble guidance. In *Proc. IEEE CVPR*, pages 3169–3176, 2010.
- [2] A. Joulin, F. Bach, and J. Ponce. Discriminative clustering for image cosegmentation. In *Proc. IEEE CVPR*, pages 1943–1950, 2010.
- [3] C. Rother, T. Minka, A. Blake, and V. Kolmogorov. Cosegmentation of image pairs by histogram matching - incorporating a global constraint into MRFs. In *Proc. IEEE CVPR*, pages 993–1000, 2006.
- [4] J.C. Rubio, J. Serrat, A. Lopez, and N. Paragios. Unsupervised co-segmentation through region matching. In *Proc. IEEE CVPR*, pages 749–756, 2012.
- [5] S. Vicente, C. Rother, and V. Kolmogorov. Object cosegmentation. In *Proc. IEEE CVPR*, pages 2217–2224, 2011.
- [6] Fan Wang, Qixing Huang, and L.J. Guibas. Image co-segmentation via consistent functional maps. In *Proc. IEEE ICCV*, pages 849–856, 2013.