

## Computer Vision HW #1 (due 1 April 2015)

lake_num	bay_num	lid_num	bay_above_bay	lid_rightof_bay	bay_above_lake	lid_bottomof_image	class
1	0	0	F	F	F	F	0
1	0	0	F	F	F	F	0
0	0	0	F	F	F	F	1
0	2	2	F	T	F	T	2
0	2	2	T	F	F	F	3
1	1	1	F	F	F	T	4
1	1	1	F	T	T	F	6
0	2	2	T	T	F	F	2
0	2	2	T	T	F	T	4
0	1	1	F	F	F	F	7
0	0	0	F	F	F	F	1
1	0	0	F	F	F	F	0
1	1	1	F	F	F	F	9
0	2	2	T	T	F	F	2
1	1	1	F	F	F	F	9
0	1	1	F	F	F	F	1
0	2	2	T	F	F	T	4
0	2	2	T	T	F	F	5
1	1	1	F	T	T	F	6
0	2	2	T	F	F	F	3
0	1	1	F	F	F	F	1
1	0	0	F	F	F	F	0
0	2	2	T	T	F	F	5
1	1	1	F	T	T	F	6
0	1	1	F	F	F	T	7
2	0	0	F	F	F	F	8
1	1	1	F	F	F	F	9
1	0	0	F	F	F	F	0
2	0	0	F	F	F	F	8
1	1	1	F	T	T	F	6
0	2	2	F	T	F	F	7
1	1	1	F	F	F	F	9
1	0	0	F	F	F	F	0
0	2	2	T	F	F	F	3
0	2	2	T	T	F	F	5
0	2	2	T	T	F	F	2
0	2	2	T	T	F	F	2
0	1	1	F	F	F	F	1
0	1	1	F	F	F	F	7
0	2	2	T	T	F	F	5
0	2	2	T	F	F	T	4
0	2	2	T	F	F	F	3

Figure 4.14 Training data for hand-printed characters.

1. Given the training data, construct a decision tree to discriminate among the ten digit classes. There are many methods, but you may or may not use the mutual information, as described in the lecture, which is repeated below.
  - You can use the mutual information to select the best feature. For example, suppose that the mutual information between 'lake\_num' and 'class' is larger than those between the other features and class. In that case, the top node in the decision tree

uses the 'lake\_num' to divide the set into three subsets as follows.

lake_num	bay_num	lid_num	bay_above_bay	lid_rightof_bay	bay_above_lake	lid_bottomof_image	class
1	0	0	F	F	F	F	0
1	0	0	F	F	F	F	0
0	0	0	F	F	F	F	1
0	2	2	F	T	F	T	2
0	2	2	T	F	F	F	3
1	1	1	F	F	F	T	4
1	1	1	F	T	T	F	6
0	2	2	T	T	F	F	2
0	2	2	T	T	F	T	4
0	1	1	F	F	F	F	7
0	0	0	F	F	F	F	1
1	0	0	F	F	F	F	0
1	1	1	F	F	F	F	9
0	2	2	T	T	F	F	2
1	1	1	F	F	F	F	9
0	1	1	F	F	F	F	1
0	2	2	T	F	F	T	4
0	2	2	T	T	F	F	5
1	1	1	F	T	T	F	6
0	2	2	T	F	F	F	3
0	1	1	F	F	F	F	1
1	0	0	F	F	F	F	0
0	2	2	T	T	F	F	5
1	1	1	F	T	T	F	6
0	1	1	F	F	F	T	7
2	0	0	F	F	F	F	8
1	1	1	F	F	F	F	9
1	0	0	F	F	F	F	0
2	0	0	F	F	F	F	8
1	1	1	F	T	T	F	6
0	2	2	F	T	F	F	7
1	1	1	F	F	F	F	9
1	0	0	F	F	F	F	0
0	2	2	T	F	F	F	3
0	2	2	T	T	F	F	5
0	2	2	T	T	F	F	2
0	2	2	T	T	F	F	2
0	2	2	T	T	F	F	2
0	1	1	F	F	F	F	1
0	1	1	F	F	F	F	7
0	2	2	T	T	F	F	5
0	2	2	T	F	F	T	4
0	2	2	T	F	F	F	3

Figure 4.14 Training data for hand-printed characters.

- You see that the cases lake\_num = 0, 1, 2 generate red, blue, and yellow subsets, respectively. For each subset repeat the procedure and find the best feature. Of course, at this stage, you don't use lake\_num and consider the other features only. Also, for the yellow subset, it is done. The two samples all belong to the class '8' and it is a leaf node.
2. What happens if you construct the tree from the last 20 samples and then test it on the first 20 samples?